



Benutzeranleitung
Gerätechboden
stationär / ausziehbar
PROLINE,
tecnorack[®], eurorack[®],
minirack[®], comrack[®]



User Manual
Shelf
stationary / telescopic
PROLINE,
tecnorack[®], eurorack[®],
minirack[®], comrack[®]


Instruction utilisateur
Etagère
fixe / télescopique
PROLINE,
tecnorack[®], eurorack[®],
minirack[®], comrack[®]





Gerätechboden stationär
Shelf stationary
Etagère fixe





PROLINE, *tecnorack*, *eurorack*


							
1 (2x) M4x8	2 (4x) M4x8	3 (2x) M5x12	4 (2x) M5x16	5 (4x)	6 (2x)	7 (2x)	8 (2x)
							
9 (1x)		10 (4x)		11 (1x) max. 75kg (75kg)		12 (1x) max. 50kg (50kg)	13 (1x)









comrack



 1 (2x) M4x8	 2 (4x) M4x8	 3 (2x) M5x12	 4 (2x) M5x16	 5 (4x)	 6 (2x)	 7 (2x)	 8 (2x)	 10 (4x)	 1 (14x) M6x10	 12 (4x)	 13 (4x)
 9 (1x)			 14 (2x)			 15 (1x) max. 75kg (75kg)		 16 (1x) max. 50kg (50kg)		 17 (1x) Danger of the cabinet tipping Kippgefahr des Schrankes Danger de renversement de l'armoire	



comrack mit U-Profilen im MEP Ausbau comrack with uprights in MEP mounting comrack profilés en U au standard métrique

 1 (2x) M4x8	 2 (4x) M4x8	 3 (2x) M5x12	 4 (2x) M5x16	 5 (4x)	 6 (2x)	 7 (2x)	 8 (2x)	 10 (4x)	 1 (14x) M6x10	 12 (4x)	 13 (4x)
 9 (1x)			 14 (2x)			 15 (1x) max. 75kg (75kg)		 16 (1x) max. 50kg (50kg)		 17 (1x) Danger of the cabinet tipping Kippgefahr des Schrankes Danger de renversement de l'armoire	










Gerätefachboden ausziehbar
Shelf telescopic
Etagère télescopique


19" Holm/Winkelprofil

19" upright/19" panel/side mount

Montants 19"

PROLINE
tecnorack
eurorack




 1 (2x) M4x8	 2 (4x) M4x8	 3 (2x) M5x12	 4 (2x) M5x16	 5 (4x)	 6 (2x)	 7 (2x)	 8 (2x)
 9 (1x)		 10 (2x)		 15 (1x) max. 75kg (75kg)	 16 (1x) max. 50kg (50kg)	 17 (1x)	







Am Gestell



To the frame/universal upright

Sur le châssis




tecnorack
eurorack



 1 (2x) M4x8	 2 (4x) M4x8	 3 (2x) M5x12	 4 (2x) M5x16	 5 (4x)	 6 (2x)	 7 (2x)	 8 (2x)
 9 (1x)		 10 (2x)		 15 (1x) max. 75kg (75kg)	 16 (1x) max. 50kg (50kg)	 17 (1x)	









comrack


 1 (2x) M4x8	 2 (4x) M4x8	 3 (2x) M5x12	 4 (2x) M5x16	 5 (4x)	 6 (2x)	 7 (2x)	 8 (2x)	 10 (4x)	 11 (4x) M6x10	 12 (4x)	 13 (4x)
 9 (1x)			 14 (2x)			 15 (1x) max. 75kg (75kg)		 16 (1x) max. 50kg (50kg)		 17 (1x)  Danger of the cabinet tipping Kippgefahr des Schrankes Danger de renversement de l'armoire	



comrack mit U-Profilen im MEP Ausbau comrack with uprights in MEP mounting comrack profilés en U au standard métrique

 1 (2x) M4x8	 2 (4x) M4x8	 3 (2x) M5x12	 4 (2x) M5x16	 5 (4x)	 6 (2x)	 7 (2x)	 8 (2x)	 10 (4x)	 11 (4x) M6x10	 12 (4x)	 13 (4x)
 9 (1x)			 14 (2x)			 15 (1x) max. 75kg (75kg)		 16 (1x) max. 50kg (50kg)		 17 (1x)  Danger of the cabinet tipping Kippgefahr des Schrankes Danger de renversement de l'armoire	





Achtung Kippgefahr !
Bei ausgezogenen und belasteten Teleskopschienen besteht Kippgefahr des Schrankes

Stability warning !
There is a danger of the cabinet toppling when the loaded printer drawer is extended on telescopic slides.

Attention risque de basculement !
La baie risque de basculer lorsque l'étagère est ouverte et chargée.

